



Tipo	Periódico
Título	Relationship Between Depression and Global and Specific Personality Global Functioning
Autores	
Autor (es) USF	Lucas de F. Carvalho Makilim N. Baptista Midiã Beatriz Guillen André P. Gonçalves Aline P. C. Miskulin
Autores Internacionais	
Programa/Curso (s)	Programa de Pós Graduação Stricto Sensu em Psicologia
DOI	10.5935/1980-6906/eptppa12940
Assunto (palavras chaves)	major depressive disorder; personality traits; personality assessment; psychopathology; mental health.
Idioma	Inglês
Fonte	Título do periódico: Psicologia - Teoria e Prática ISSN: 1980-6906 Volume/Número/Paginação/Ano: 23/2021
Data da publicação	19-7-2021
Formato da produção	Digital
Resumo	This study aimed to investigate the relationship between depressive symptoms and pathological personality functioning (PPF) and specific indicators of pathological personality patterns. The participants were 446 adults from the general population. Part of the sample (n = 237) answered scales evaluating the PPF (Dimensional Clinical Personality Inventory - screening (IDCP-Screening)) and symptoms of depression (Baptist Depression Scale - screening (EBADEP-Screening)); another part (n = 209) answered tests evaluating personality disorders (PD) (SCID-II personality questionnaire; SCID-II-PQ) and symptoms of depression (EBADEP-screening). The results indicated that both PPF and PD showed positive associations with depressive symptoms, although associations with PPF were stronger. The PD most associated with depressive symptoms were avoidant, dependent, and borderline. Findings suggest that PPF and specific pathological patterns are risk factors for the onset of depressive symptoms.
Fomento	