



Educando para a paz

Título External validity study of a personality disorders screening in a community sample Autores Autores Autor (es) USF Lucas de Francisco Carvalho Autores internacionais Programa de Pós-Graduação Stricto Sensu em Psicologia DOI http://dx.doi.org/10.1590/0101-60830000000115 Assunto (palavras chaves) Screening measure; personality test; diagnosis; personality disorders Idioma Inglês Fonte Título do períodico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Background - A screening test for personality disorders was recently developed in Resumo Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP-SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV vi danother screening for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive	Tipo	Periódico
Autor (es) USF Lucas de Francisco Carvalho Autores Internacionais Programa/Curso (s) Programa de Pós-Graduação Stricto Sensu em Psicologia DOI http://dx.doi.org/10.1590/0101-60830000000115 Assunto (palavras chaves) Screening measure; personality test; diagnosis; personality disorders Idioma Inglês Fonte Título do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Invertory – screening version (IDCP-SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV identified 46.4% of community assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive e	Título	
Autores Internacionais Programa/Curso (s) Programa de Pós-Graduação Stricto Sensu em Psicologia DOI http://dx.doi.org/10.1590/0101-60830000000115 Assunto (palavras chaves) Screening measure; personality test; diagnosis; personality disorders Idioma Inglês Fonte Título do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good	Autores	
Programa/Curso (s) Programa de Pós-Graduação Stricto Sensu em Psicologia DOI http://dx.doi.org/10.1590/0101-60830000000115 Assunto (palavras chaves) Screening measure; personality test; diagnosis; personality disorders Idioma Inglês Fonte Título do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP-SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders categories assessment (SCI)-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisons, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a	Autor (es) USF	Lucas de Francisco Carvalho
DOI http://dx.doi.org/10.1590/0101-60830000000115 Assunto (palavras chaves) Screening measure; personality test; diagnosis; personality disorders Idioma Inglês Fonte Título do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was	Autores Internacionais	
Assunto (palavras chaves) Screening measure; personality test; diagnosis; personality disorders Idioma Inglês Fonte Título do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good	· · · · · · · · · · · · · · · · · · ·	
Idioma Inglês Fonte Título do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good	DOI	http://dx.doi.org/10.1590/0101-60830000000115
FonteTítulo do periódico: Archives of Clinical Psychiatry (São Paulo) ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017Data da publicação04/2017Formato da produçãoDigital Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good		
ISSN: 1806-938X Volume/Número/Paginação/Ano: 44/2/40/2017 Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP-SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good		
Data da publicação 04/2017 Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP-SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good	Fonte	ISSN: 1806-938X
Formato da produção Digital Resumo Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good		Volume/Número/Paginação/Ano: 44/2/40/2017
 Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good 	Data da publicação	04/2017
 Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good 	Formato da produção	Digital
Fomento	Resumo	 Background - A screening test for personality disorders was recently developed in Brazil, the Dimensional Clinical Personality Inventory – screening version (IDCP- SV). However, no relationship between this screening measure and other scales or external criteria was tested. Objective - To seek for validity evidence based on related criteria (e.g., other psychological tests) and external criteria (e.g., sample demographics). Methods - Sample comprised 804 participants from São Paulo (Brazil), most female and college students, with mean age equal to 29.65 (SD = 10.73). They answered the IDCP-SV and another screening for personality disorders (IPDS), a depression measure (EBADEP-screening), a scale assessing reasoning for living (EMVIVER), and a self-report for personality disorders categories assessment (SCID-II-PQ). Results - IDCP-SV identified 46.4% of community sample as positive for personality disorders. The positive group showed the great mean for almost all comparisions, including psychological tests and the demographics characteristics, including large expressive effect sizes. Discussion - Data suggest that the IDCP-SV discriminates a similar percentage of people from the community to what was reported previously using other screening measures; besides, the mean comparisons between groups showed good

